



GLYMED PLUS SKINCARE  
867 EAST 2260 SOUTH  
PROVO, UTAH 84606

**CERTIFICATE OF ANALYSIS**

**PRODUCT NAME: CBD FACE & BODY MIST**

**PRODUCT NUMBER: 348-45**

**BATCH NUMBER: 229 2E**

**MANUFACTURE DATE: 07/19/2022**

**ANALYSIS:**

<b>SPECIFICATION</b>	<b>RANGE</b>	<b>ACTUAL</b>
COLOR	COLORLESS / YELLOW	PASS
CHARACTER	CLEAR LIQUID	PASS
ODOR	FRAGRANT	PASS
pH @ 25°C	4.00 – 5.00	4.67
VISCOSITY (N/A)	N/A	N/A
<b><u>MICROBIOLOGY</u></b>		
GRAM NEGATIVE BACTERIA	NOT DETECTED	PASS
GRAM POSITIVE BACTERIA	<100 CFU/G	PASS
YEAST/MOLD	<100 CFU/G	PASS

\*PROTECT FROM FREEZING – STORE AT ROOM TEMPERATURE

SIGNATURE

05/07/2023

DATE



**Micro Quality Labs, Inc.**  
 Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing  
 3125 N. Damon Way • Burbank, California 91505  
 (818) 845-0070 • Fax: (818) 845-0030  
 E-Mail: [Karlne@MicroQualityLabs.com](mailto:Karlne@MicroQualityLabs.com)



**Customer:** Glymed Plus  
**Address:** 867 East 2260 South  
 Provo, UT 84606

**ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS**

Sample Name: **CBD-B3 FACIAL MIST**  
 Product Code: GM403  
 Batch/Lot: 229 2E  
 MQL Accession: 230216-0269

PO#: N/A  
 Sample Description: FG  
 Rush: N/A  
 Received Date: 02/16/23  
 Page 1/5

Test Requested:	Test Method Number:	Client Specification:	Results:
<b>Pesticide Screen:</b>		USP Limit Level	
Pesticides	MQLTM-0343 (USP<561>Modified) By GC-MS	N/A	Conforms
Bromophos-methyl	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05ppm	<0.05ppm
Flucythrinate	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05ppm	<0.05ppm
Methoxychlor	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05ppm	<0.05ppm
Acephate	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Alachlor	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Aldrin and dieldrin (sum of)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Azinphos-ethyl	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Azinphos-methyl	MQLTM-0343 (USP<561>Modified) By GC-MS	1mg/kg	<1mg/kg
Bromophos-ethyl	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Bromopropylate	MQLTM-0343 (USP<561>Modified) By GC-MS	3mg/kg	<3mg/kg
Chlordane (sum of cis-trans-, and oxychlordane)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Chlorfenvinphos	MQLTM-0343 (USP<561>Modified) By GC-MS	0.5mg/kg	<0.5mg/kg
Chlorpyrifos -ethyl	MQLTM-0343 (USP<561>Modified) By GC-MS	0.2mg/kg	<0.2mg/kg
Chlorpyrifos -methyl	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Chlorthal-dimethyl	MQLTM-0343 (USP<561>Modified) By GC-MS	0.01mg/kg	<0.01mg/kg
Cyfluthrin (sum of)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
λ-Cyhalothrin	MQLTM-0343 (USP<561>Modified) By GC-MS	1mg/kg	<1mg/kg



**Micro Quality Labs, Inc.**  
 Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing  
 3125 N. Damon Way • Burbank, California 91505  
 (818) 845-0070 • Fax: (818) 845-0030  
 E-Mail: [Karine@MicroQualityLabs.com](mailto:Karine@MicroQualityLabs.com)



**Customer:** Glymed Plus  
**Address:** 867 East 2260 South  
 Provo, UT 84606

**ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS**

Sample Name: **CBD-B3 FACIAL MIST**  
 Product Code: GM403  
 Batch/Lot: 229 2E  
 MQL Accession: 230216-0269

PO#: N/A  
 Sample Description: FG  
 Rush: N/A  
 Received Date: 02/16/23  
 Page 2/5

Test Requested:	Test Method Number:	Client Specification:	Results:
<b>Pesticide Screen:</b>		<b>USP Limit Level</b>	
Cypermethrin and isomers (sum of)	MQLTM-0343 (USP<561>Modified) By GC-MS	1mg/kg	<1mg/kg
DDT (sum of o,p'-DDE, p,p'-DDE, o,p'-DDT, p,p'-DDT, o,p'-TDE, and p,p'-TDE)	MQLTM-0343 (USP<561>Modified) By GC-MS	1mg/kg	<1mg/kg
Deltamethrin	MQLTM-0343 (USP<561>Modified) By GC-MS	0.5mg/kg	<0.5mg/kg
Diazinon	MQLTM-0343 (USP<561>Modified) By GC-MS	0.5mg/kg	<0.5mg/kg
Dichlofluaniid	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Dichlorvos	MQLTM-0343 (USP<561>Modified) By GC-MS	1mg/kg	<1mg/kg
Dicofol	MQLTM-0343 (USP<561>Modified) By GC-MS	0.5mg/kg	<0.5mg/kg
Dimethoate and omethoate (sum of)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Endosulfan (sum of isomers and endosulfan sulphate)	MQLTM-0343 (USP<561>Modified) By GC-MS	3mg/kg	<3mg/kg
Endrin	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Ethion	MQLTM-0343 (USP<561>Modified) By GC-MS	2mg/kg	<2mg/kg
Etrimphos	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Fenchlorophos (sum of fenchlorophos and fenchlorophos-oxon)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Fenitrothion	MQLTM-0343 (USP<561>Modified) By GC-MS	0.5mg/kg	<0.5mg/kg
Fenpropathrin	MQLTM-0343 (USP<561>Modified) By GC-MS	0.03mg/kg	<0.03mg/kg
Fensulfiothion (sum of fensulfiothion, fensulfiothion-oxon, fensulfiothion-oxonsulfon, and fensulfiothion-sulfon)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Fenthion (sum of fenthion, fenthion-oxon, fenthion-oxon-sulfon, fenthion-oxon-sulfoxid, fenthion-sulfon, and fenthion-sulfoxid)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg



**Micro Quality Labs, Inc.**  
 Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing  
 3125 N. Damon Way • Burbank, California 91505  
 (818) 845-0070 • Fax: (818) 845-0030  
 E-Mail: [Karine@MicroQualityLabs.com](mailto:Karine@MicroQualityLabs.com)



**Customer:** Glymed Plus  
**Address:** 867 East 2260 South  
 Provo, UT 84606

**ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS**

Sample Name: **CBD-B3 FACIAL MIST**  
 Product Code: GM403  
 Batch/Lot: 229 2E  
 MQL Accession: 230216-0269

PO#: N/A  
 Sample Description: FG  
 Rush: N/A  
 Received Date: 02/16/23  
 Page 3/5

Test Requested:	Test Method Number:	Client Specification:	Results:
<b>Pesticide Screen:</b>		USP Limit Level	
Fenvalerate	MQLTM-0343 (USP<561>Modified) By GC-MS	1.5mg/kg	<1.5mg/kg
Tau-Fluvalinate	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Fonophos	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Heptachlor (sum of heptachlor, os-heptachlorepoxyde, and trans-heptachlorepoxyde)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Hexachlorobenzene	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Hexachlorocyclohexane (sum of isomers $\alpha$ , $\beta$ -, $\delta$ , and $\epsilon$ -)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.3mg/kg	<0.3mg/kg
Lindan ( $\gamma$ -hexachlorocyclohexane)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.6mg/kg	<0.6mg/kg
Malathion and malaaxon (sum of)	MQLTM-0343 (USP<561>Modified) By GC-MS	1mg/kg	<1mg/kg
Mecarbam	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Methacriphos	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Methamidophos	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Methidathion	MQLTM-0343 (USP<561>Modified) By GC-MS	0.2mg/kg	<0.2mg/kg
Mirex	MQLTM-0343 (USP<561>Modified) By GC-MS	0.01mg/kg	<0.01mg/kg
Monocrotophos	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Parathion-ethyl and Paraaxon-ethyl (sum of)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.5mg/kg	<0.5mg/kg
Parathion-methyl and Paraaxon-methyl (sum of)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.2mg/kg	<0.2mg/kg
Pendimethalin	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Pentachloranisol	MQLTM-0343 (USP<561>Modified) By GC-MS	0.01mg/kg	<0.01mg/kg
Permethrin and isomers (sum of)	MQLTM-0343 (USP<561>Modified) By GC-MS	1mg/kg	<1mg/kg
Phosalone	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg



**Micro Quality Labs, Inc.**  
 Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing  
 3125 N. Damon Way • Burbank, California 91505  
 (818) 845-0070 • Fax: (818) 845-0030  
 E-Mail: [Karine@MicroQualityLabs.com](mailto:Karine@MicroQualityLabs.com)



**Customer:** Glymed Plus  
**Address:** 867 East 2260 South  
 Provo, UT 84606

**ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS**

Sample Name: **CBD-B3 FACIAL MIST**  
 Product Code: GM403  
 Batch/Lot: 229 2E  
 MQL Accession: 230216-0269

PO#: N/A  
 Sample Description: FG  
 Rush: N/A  
 Received Date: 02/16/23  
 Page 4/5

Test Requested:	Test Method Number:	Client Specification:	Results:
<b>Pesticide Screen:</b>		USP Limit Level	
Phosmet	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Piperonyl butoxide	MQLTM-0343 (USP<561>Modified) By GC-MS	3mg/kg	<3mg/kg
Pirimiphos-ethyl	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Pirimiphos-methyl (sum of pirimiphos-methyl and N-desethyl- pirimiphos-methyl)	MQLTM-0343 (USP<561>Modified) By GC-MS	4mg/kg	<4mg/kg
Procymidone	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Profenophos	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Prothiophos	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Pyrethrums (Cinerin I, Cinerin II, Jasmolin I, Jasmolin II, Pyrethrin I, Pyrethrin II)	MQLTM-0343 (USP<561>Modified) By GC-MS	3ppm	<3ppm
Quinalphos	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Quintozene (sum of quintozene, pentachloraniline, and methyl pentachlorophenyl sulfide)	MQLTM-0343 (USP<561>Modified) By GC-MS	1mg/kg	<1mg/kg
S-421	MQLTM-0343 (USP<561>Modified) By GC-MS	0.02mg/kg	<0.02mg/kg
Tecnazene	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Tetradifon	MQLTM-0343 (USP<561>Modified) By GC-MS	0.3mg/kg	<0.3mg/kg
Vinclozolin	MQLTM-0343 (USP<561>Modified) By GC-MS	0.4mg/kg	<0.4mg/kg



## Micro Quality Labs, Inc.

Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing  
3125 N. Damon Way • Burbank, California 91505  
(818) 845-0070 • Fax: (818) 845-0030  
E-Mail: [Karline@MicroQualityLabs.com](mailto:Karline@MicroQualityLabs.com)



**Customer:** Glymed Plus  
**Address:** 867 East 2260 South  
Provo, UT 84606

### ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: CBD-B3 FACIAL MIST  
Product Code: GM403  
Batch/Lot: 229 2E  
MQL Accession: 230216-0269

PO#: N/A  
Sample Description: FG  
Rush: N/A  
Received Date: 02/16/23  
Page 5/5

Prepared By:

  
Octavio Victor/Document Control Specialist

FEB 28 2023  
02/28/23

Reviewed By:

  
Esme Arellano/Quality Assurance Reviewer

FEB 28 2023  
02/28/23

*Micro Quality Laboratories, Inc. (MQL), is an A2LA ISO 17025 accredited testing laboratory (Certificate Number 3034.01). The requirements of ISO 17025 were followed for the test, results and preparation of this certificate of analysis. MQL's scope of accreditation may be found on A2LA or MQL websites.*

*The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by Micro Quality Labs to ensure the most accurate results.*

*This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of Micro Quality Labs, Inc. nor any member of its staff, may be used in connection with the advertising or sale of any product or process without written authorization from Micro Quality Labs, Inc. Failure to comply will result in immediate legal action by Micro Quality Labs, Inc.*



# MICROCONSULT, INC.

MICROBIOLOGICAL & ANALYTICAL TESTING LABORATORY

3218 Commander Dr., Suite 100, Carrollton, TX 75006 ~ Phone: 972.250.2902 ~ Toll Free: 888.231.7002 ~ Fax: 972.250.2903 ~ www.microconsultinc.com

## Certificate of Analysis

**Customer Name:** GlyMed Plus  
**Product Name:** 118ml CBD-B3 Facial Mist  
**Lot Number:** 229 2E / (GM403)  
**Lab Number:** CB093923  
**Analysis Date:** April 14, 2023  
**Analyst Name:** Andrea Adaway, Kimberly Carbajal, Philip Kurian, Lucy Z  
**Methods:** CAM 1020, CAM 529, CAM 547, CAM 886, MON 4021  
**Equipment Type:** Aflatoxins - Kit, GC, GC-FID, HPLC, ICP-MS  
**Sample Types:** Finished Product, Filled Unit

### Sample Identification and Results

Active	Test Results
CBN (Cannabinol)	None detected; <63ppm
Arsenic	<0.3ppm
Cadmium	<0.3ppm
Mercury	<0.03ppm
Aflatoxins	Invalid (Unable to test)
CBDVA (Cannabidivarinic Acid)	None detected; <62ppm
CBDV (Cannabidivarin)	None detected; <63ppm
CBDA (Cannabidiolic Acid)	None detected; <63ppm
CBGA (Cannabigerolic Acid)	None detected; <63ppm
CBG (Cannabigerol)	None detected; <64ppm
CBD (Cannabidiol)	20ppb

Completed By

*MJ*

Date

*4/14/23*

Reviewed By

*Christine Vercell*

Date

*4/14/23*

*The results stated above are provided with the most accurate method available. However, the test method has not been validated as stability-indicating to current USP and ICH guidelines for this product. Method validations are the responsibility of the manufacturer for each product.*

Form Q013B



# MICROCONSULT, INC.

MICROBIOLOGICAL & ANALYTICAL TESTING LABORATORY

3218 Commander Dr., Suite 100, Carrollton, TX 75006 ~ Phone: 972.250.2902 ~ Toll Free: 888.231.7002 ~ Fax: 972.250.2903 ~ www.microconsultinc.com

## Certificate of Analysis

Lead	0.4ppm
THCVA (Tetrahydrocannabivarinic Acid)	None detected; <62ppm
Dimethylformamide (DMF)	None detected; <880ppm
CBNA (Cannabigerolic Acid)	None detected; <62ppm
Exo-THC (Tetrahydrocannabinol)	None detected; <62ppm
Delta 9 THC (Tetrahydrocannabinol)	None detected; <63ppm
Delta 8 THC (Tetrahydrocannabinol)	None detected; <63ppm
CBL (Cannabicycol)	None detected; <62ppm
THCA-A (Tetrahydrocannabinolic Acid)	None detected; <63ppm
CBC (Cannabichromene)	None detected; <63ppm
CBCA (Cannabichromenic Acid)	None detected; <62ppm
CBLA (Cinnabicycloic Acid)	None detected; <31ppm
Benzene	<2ppm
Dimethyl Sulfoxide (DMSO)	None detected; <5000ppm
THCV (Tetrahydrocannabivarin)	None detected; <63ppm

Completed By

*MJ*

Date

*4/14/23*

Reviewed By

*Carissa Wencell*

Date

*4/14/23*

*The results stated above are provided with the most accurate method available. However, the test method has not been validated as stability-indicating to current USP and ICH guidelines for this product. Method validations are the responsibility of the manufacturer for each product.*

Form Q013B



# Microconsult Inc.

A Certified Group Company

3218 Commander Dr, Carrollton, TX 75006

Phone: 972.250.2902

www.microconsultinc.com

## Certificate of Analysis

**Customer Name:** Glymed Plus  
**Product Name:** CBD-B3 Facial Mist  
**Lot Number:** 229 2E / (GM403)  
**Lab Number:** CB093923  
**Analysis Date:** April 14, 2023  
**Analyst Name:** Phillip Kurian  
**Methods:** MON 4021 (Class II)  
**Equipment Type:** GC-FID  
**Sample Types:** Finished Product

### Sample Identification and Results

Active	Test Results
1,2 Dimethoxyethane	None detected; <100ppm
1,4 Dioxane	None detected; <380ppm
2-Ethoxyethanol	None detected; <160ppm
Acetonitrile	None detected; <410ppm
Cyclohexane	None detected; <3880ppm
Cumene	None detected; <70ppm
1,2-dimethylbenzene	None detected; Total Xylenes <2170ppm
1,3-dimethylbenzene	None detected; Total Xylenes <2170ppm
1,4-dimethylbenzene	None detected; Total Xylenes <2170ppm
Ethylbenzene	None detected; Total Xylenes <2170ppm
Ethylene Glycol	None detected; <620ppm
n-Hexane	<290ppm
Methanol	None detected; <3000ppm
N,N-dimethylacetamide	None detected; <1090ppm
Pyridine	None detected; <200ppm
Sulfolane	None detected; <160ppm
Tetrahydrofuran	None detected; <720ppm
Toluene	None detected; <890ppm
Xylenes	None detected; <2170ppm

Completed By

Reviewed By

Date

Date

*Phillip Kurian*

4/14/23

4/14/23



# Microconsult Inc.

A Certified Group Company

3218 Commander Dr, Carrollton, TX 75006

Phone: 972.250.2902

www.microconsultinc.com

## Certificate of Analysis

**Customer Name:** Glymed Plus  
**Product Name:** CBD-B3 Facial Mist  
**Lot Number:** 229 2E / (GM403)  
**Lab Number:** CB093923  
**Analysis Date:** April 14, 2023  
**Analyst Name:** Phillip Kurian  
**Methods:** MON 4021 (Class III)  
**Equipment Type:** GC-FID  
**Sample Types:** Finished Product

### Sample Identification and Results

Active	Test Results
1-Butanol	None detected; <5000ppm
1-Pentanol	None detected; <5000ppm
1-Propanol	None detected; <5000ppm
2-Butanol	None detected; <5000ppm
2-Propanol (IPA)	None detected; <5000ppm
Acetone	None detected; <5000ppm
Ethanol	None detected; <5000ppm
Ethyl Acetate	None detected; <5000ppm
Ethyl Ether	None detected; <5000ppm
Heptane	None detected; <5000ppm
Isopropyl Acetate	None detected; <5000ppm
Pentane	None detected; <5000ppm

Completed By

Date

4/14/23

Reviewed By

Date

4/14/23



# Microconsult Inc.

A Certified Group Company

3218 Commander Dr, Carrollton, TX 75006

Phone: 972.250.2902

www.microconsultinc.com

## Certificate of Analysis

**Customer Name:** Glymed Plus  
**Product Name:** CBD-B3 Facial Mist  
**Lot Number:** 229 2E / (GM403)  
**Lab Number:** CB093923  
**Analysis Date:** April 14, 2023  
**Analyst Name:** Phillip Kurian  
**Methods:** MON 4021 (MOD)  
**Equipment Type:** GC  
**Sample Types:** Finished Product

### Sample Identification and Results


Active	Test Results
2-Butanone	None detected; <5000ppm
2-methylbutane	None detected; <5000ppm
Butane	None detected; <5000ppm
Dichloromethane	None detected; <600ppm
2,2-dimethylbutane	None detected; <290ppm
2,3-dimethylbutane	None detected; <290ppm
Ethylene Oxide	None detected; <50ppm
Methylpropane	None detected; <5000ppm
2-Methylpentane	None detected; <290ppm
3-Methylpentane	None detected; <290ppm
Propane	None detected; <5000ppm

Completed By

Reviewed By

Date

Date

  
 Phillip Kurian

4/14/23  
 4/14/23