



GLYMED PLUS SKINCARE
867 EAST 2260 SOUTH
PROVO, UTAH 84606

CERTIFICATE OF ANALYSIS

PRODUCT NAME: CBD B3 AGE DELAY FACIAL DEW

PRODUCT NUMBER: 348-171

BATCH NUMBER: 227 2H

MANUFACTURE DATE: 07/05/2022

ANALYSIS:

SPECIFICATION	RANGE	ACTUAL
COLOR	OFF WHITE TO LIGHT GRAY (CHANGES TO LIGHT ORANGE OVER TIME)	PASS
CHARACTER	THIN LIQUID	PASS
ODOR	CHARACTERISTIC	PASS
pH @ 25°C	5.00 – 6.00	5.72
VISCOSITY (T/A @ 100 rpm)	380 – 480 cP	400 cP
<u>MICROBIOLOGY</u>		
GRAM NEGATIVE BACTERIA	NOT DETECTED	PASS
GRAM POSITIVE BACTERIA	<100 CFU/G	PASS
YEAST/MOLD	<100 CFU/G	PASS

*PROTECT FROM FREEZING – STORE AT ROOM TEMPERATURE

SIGNATURE

05/07/2023

DATE



Micro Quality Labs, Inc.
Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing
3125 N. Damon Way • Burbank, California 91505
(818) 845-0070 • Fax: (818) 845-0030
E-Mail: Karlne@MicroQualityLabs.com



Customer: Glymed Plus
Address: 867 East 2260 South
Provo, UT 84606

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: CBD-B3 AGE DELAY FACIAL DEW
Product Code: GM404
Batch/Lot: 227 2H
MQL Accession: 230216-0270

PO#: N/A
Sample Description: FG
Rush: N/A
Received Date: 02/16/23
Page 1/5

Test Requested:	Test Method Number:	Client Specification:	Results:
Pesticide Screen:		USP Limit Level	
Pesticides	MQLTM-0343 (USP<561>Modified) By GC-MS	N/A	Conforms
Bromophos-methyl	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05ppm	<0.05ppm
Flucythrinate	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05ppm	<0.05ppm
Methoxychlor	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05ppm	<0.05ppm
Acephate	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Alachlor	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Aldrin and dieldrin (sum of)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Azinphos-ethyl	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Azinphos-methyl	MQLTM-0343 (USP<561>Modified) By GC-MS	1mg/kg	<1mg/kg
Bromophos-ethyl	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Bromopropylate	MQLTM-0343 (USP<561>Modified) By GC-MS	3mg/kg	<3mg/kg
Chlordane (sum of cis-trans-, and oxychlordane)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Chlorfenvinphos	MQLTM-0343 (USP<561>Modified) By GC-MS	0.5mg/kg	<0.5mg/kg
Chlorpyrifos -ethyl	MQLTM-0343 (USP<561>Modified) By GC-MS	0.2mg/kg	<0.2mg/kg
Chlorpyrifos -methyl	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Chlorthal-dimethyl	MQLTM-0343 (USP<561>Modified) By GC-MS	0.01mg/kg	<0.01mg/kg
Cyfluthrin (sum of)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
A-Cyhalothrin	MQLTM-0343 (USP<561>Modified) By GC-MS	1mg/kg	<1mg/kg



Micro Quality Labs, Inc.
Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing
3125 N. Damon Way • Burbank, California 91505
(818) 845-0070 • Fax: (818) 845-0030
E-Mail: Karine@MicroQualityLabs.com



Customer: Glymed Plus
Address: 867 East 2260 South
Provo, UT 84606

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: CBD-B3 AGE DELAY FACIAL DEW
Product Code: GM404
Batch/Lot: 227 2H
MQL Accession: 230216-0270

PO#: N/A
Sample Description: FG
Rush: N/A
Received Date: 02/16/23
Page 2/5

Test Requested:	Test Method Number:	Client Specification:	Results:
Pesticide Screen:		USP Limit Level	
Cypermethrin and isomers (sum of)	MQLTM-0343 (USP<561>Modified) By GC-MS	1mg/kg	<1mg/kg
DDT (sum of o,p'-DDE, p,p'-DDE, o,p'-DDT, p,p'-DDT, o,p'-TDE, and p,p'-TDE)	MQLTM-0343 (USP<561>Modified) By GC-MS	1mg/kg	<1mg/kg
Deltamethrin	MQLTM-0343 (USP<561>Modified) By GC-MS	0.5mg/kg	<0.5mg/kg
Diazinon	MQLTM-0343 (USP<561>Modified) By GC-MS	0.5mg/kg	<0.5mg/kg
Dichlofluanid	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Dichlorvos	MQLTM-0343 (USP<561>Modified) By GC-MS	1mg/kg	<1mg/kg
Dicofol	MQLTM-0343 (USP<561>Modified) By GC-MS	0.5mg/kg	<0.5mg/kg
Dimethoate and omethoate (sum of)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Endosulfan (sum of isomers and endosulfan sulphate)	MQLTM-0343 (USP<561>Modified) By GC-MS	3mg/kg	<3mg/kg
Endrin	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Ethion	MQLTM-0343 (USP<561>Modified) By GC-MS	2mg/kg	<2mg/kg
Etrimphos	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Fenchlorophos (sum of fenchlorophos and fenchlorophos-oxon)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Fenitrothion	MQLTM-0343 (USP<561>Modified) By GC-MS	0.5mg/kg	<0.5mg/kg
Fenpropathrin	MQLTM-0343 (USP<561>Modified) By GC-MS	0.03mg/kg	<0.03mg/kg
Fensulfothion (sum of fensulfothion, fensulfothion-oxon, fensulfothion-oxonsulfon, and fensulfothion-sulfon)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Fenthion (sum of fenthion, fenthion-oxon, fenthion-oxon-sulfon, fenthion-oxon-sulfoxid, fenthion-sulfon, and fenthion-sulfoxid)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg



Micro Quality Labs, Inc.
Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing
3125 N. Damon Way • Burbank, California 91505
(818) 845-0070 • Fax: (818) 845-0030
E-Mail: Karine@MicroQualityLabs.com



Customer: **Glymed Plus**
Address: 867 East 2260 South
Provo, UT 84606

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: **CBD-B3 AGE DELAY FACIAL DEW**
Product Code: GM404
Batch/Lot: 227 2H
MQL Accession: 230216-0270

PO#: N/A
Sample Description: FG
Rush: N/A
Received Date: 02/16/23
Page 3/5

Test Requested:	Test Method Number:	Client Specification:	Results:
Pesticide Screen:	USP Limit Level		
Fenvalerate	MQLTM-0343 (USP<561>Modified) By GC-MS	1.5mg/kg	<1.5mg/kg
Tau-Fluvalinate	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Fonophos	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Heptachlor (sum of heptachlor, os-heptachlorepoxyde, and trans-heptachlorepoxyde)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Hexachlorobenzene	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Hexachlorocyclohexane (sum of isomers α , β , δ , and ϵ)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.3mg/kg	<0.3mg/kg
Lindan (Y-hexachlorocyclohexane)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.6mg/kg	<0.6mg/kg
Malathion and malaoxon (sum of)	MQLTM-0343 (USP<561>Modified) By GC-MS	1mg/kg	<1mg/kg
Mecarbam	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Methacriphos	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Methamidophos	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Methidathion	MQLTM-0343 (USP<561>Modified) By GC-MS	0.2mg/kg	<0.2mg/kg
Mirex	MQLTM-0343 (USP<561>Modified) By GC-MS	0.01mg/kg	<0.01mg/kg
Monocrotophos	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Parathion-ethyl and Paraaxon-ethyl (sum of)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.5mg/kg	<0.5mg/kg
Parathion-methyl and Paraaxon-methyl (sum of)	MQLTM-0343 (USP<561>Modified) By GC-MS	0.2mg/kg	<0.2mg/kg
Pendimethalin	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Pentachloranisol	MQLTM-0343 (USP<561>Modified) By GC-MS	0.01mg/kg	<0.01mg/kg
Permethrin and isomers (sum of)	MQLTM-0343 (USP<561>Modified) By GC-MS	1mg/kg	<1mg/kg
Phosalone	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg



Micro Quality Labs, Inc.
Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing
3125 N. Damon Way • Burbank, California 91505
(818) 845-0070 • Fax: (818) 845-0030
E-Mail: Karine@MicroQualityLabs.com



Customer: Glymed Plus
Address: 867 East 2260 South
Provo, UT 84606

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: CBD-B3 AGE DELAY FACIAL DEW
Product Code: GM404
Batch/Lot: 227 2H
ML Accession: 230216-0270

PO#: N/A
Sample Description: FG
Rush: N/A
Received Date: 02/16/23
Page 4/5

Test Requested:	Test Method Number:	Client Specification:	Results:
Pesticide Screen:		USP Limit Level	
Phosmet	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Piperonyl butoxide	MQLTM-0343 (USP<561>Modified) By GC-MS	3mg/kg	<3mg/kg
Pirimiphos-ethyl	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Pirimiphos-methyl (sum of pirimiphos-methyl and N-desethyl- pirimiphos-methyl)	MQLTM-0343 (USP<561>Modified) By GC-MS	4mg/kg	<4mg/kg
Procymidone	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Profenophos	MQLTM-0343 (USP<561>Modified) By GC-MS	0.1mg/kg	<0.1mg/kg
Prothiophos	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Pyrethrums (Cinerin I, Cinerin II, Jasmolin I, Jasmolin II, Pyrethrin I, Pyrethrin II)	MQLTM-0343 (USP<561>Modified) By GC-MS	3ppm	<3ppm
Quinalphos	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Quintozene (sum of quintozene, pentachloraniline, and methyl pentachlorophenyl sulfide)	MQLTM-0343 (USP<561>Modified) By GC-MS	1mg/kg	<1mg/kg
S-421	MQLTM-0343 (USP<561>Modified) By GC-MS	0.02mg/kg	<0.02mg/kg
Tecnazene	MQLTM-0343 (USP<561>Modified) By GC-MS	0.05mg/kg	<0.05mg/kg
Tetradifon	MQLTM-0343 (USP<561>Modified) By GC-MS	0.3mg/kg	<0.3mg/kg
Vinclozolin	MQLTM-0343 (USP<561>Modified) By GC-MS	0.4mg/kg	<0.4mg/kg



Micro Quality Labs, Inc.
Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing
3125 N. Damon Way • Burbank, California 91505
(818) 845-0070 • Fax: (818) 845-0030
E-Mail: Karine@MicroQualityLabs.com



Customer: **Glymed Plus**
Address: 867 East 2260 South
Provo, UT 84606

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: **CBD-B3 AGE DELAY FACIAL DEW**
Product Code: GM404
Batch/Lot: 227 2H
MQL Accession: 230216-0270

PO#: N/A
Sample Description: FG
Rush: N/A
Received Date: 02/16/23
Page 5/5

Prepared By:


Octavio Victor/Document Control Specialist

FEB 28 2023

02/28/23

Reviewed By:


Esme Arellano/Quality Assurance Reviewer

FEB 28 2023

02/28/23

Micro Quality Laboratories, Inc. (MQL), is an A2LA ISO 17025 accredited testing laboratory (Certificate Number 3034.01). The requirements of ISO 17025 were followed for the test, results and preparation of this certificate of analysis. MQL's scope of accreditation may be found on A2LA or MQL websites.

The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by Micro Quality Labs to ensure the most accurate results.

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of Micro Quality Labs, Inc. nor any member of its staff, may be used in connection with the advertising or sale of any product or process without written authorization from Micro Quality Labs, Inc. Failure to comply will result in immediate legal action by Micro Quality Labs, Inc.



Micro Quality Labs, Inc.

Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing

3125 N. Damon Way • Burbank, California 91505

(818) 845-0070 • Fax: (818) 845-0030

E-Mail: Karine@MicroQualityLabs.com


Customer: Glymed Plus
Address: 867 East 2260 South
Provo, UT 84606

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: CBD-B3 AGE DELAY FACIAL DEW
Product Code: GM404
Batch/Lot: 227 2H
MQL Accession: 230330-0114

PO#: N/A
Sample Description: FG
Rush: N/A
Received Date: 03/30/23

Test Requested:	Test Method:	Specification:	Results:
Ochratoxin A	MQLTM-1129 By LCMS	< 20 ppb	Not Detected (NMT 20 ppb)

Prepared By: 
Diana Zavala/Document Control Specialist

APR 03 2023

04/03/23

Reviewed By: 
Esme Arellano/Quality Assurance Reviewer

APR 03 2023

04/03/23

The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by Micro Quality Labs to ensure the most accurate results.

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of Micro Quality Labs, Inc. nor any member of its staff, may be used in connection with the advertising or sale of any product or process without written authorization from Micro Quality Labs, Inc. Failure to comply will result in immediate legal action by Micro Quality Labs, Inc.



Microconsult Inc.

A Certified Group Company

3218 Commander Dr, Carrollton, TX 75006

Phone: 972.250.2902

www.microconsultinc.com

Certificate of Analysis

Customer Name: Glymed Plus
Product Name: 50 mL CBD-B3 Age Delay Facial Dew
Lot Number: 227 2H/(GM404)
Lab Number: CB094223
Analysis Date: April 17, 2023
Analyst Name: Phillip Kurian
Methods: MON 4021 (Class II)
Equipment Type: GC-FID
Sample Types: Finished Product

Sample Identification and Results

Active	Test Results
1,2 Dimethoxyethane	None detected; <100ppm
1,4 Dioxane	None detected; <380ppm
2-Ethoxyethanol	None detected; <160ppm
Acetonitrile	None detected; <410ppm
Cyclohexane	None detected; <3880ppm
Cumene	None detected; <70ppm
1,2-dimethylbenzene	None detected; <2170ppm
1,3-dimethylbenzene	None detected; <2170ppm
1,4-dimethylbenzene	None detected; <2170ppm
Ethylbenzene	None detected; <2170ppm
Ethylene Glycol	None detected; <620ppm
n-Hexane	<290ppm
Methanol	None detected; <3000ppm
N,N-dimethylacetamide	None detected; <1090ppm
Pyridine	<200ppm
Sulfolane	None detected; <160ppm
Tetrahydrofuran	None detected; <720ppm
Toluene	None detected; <890ppm
Xylene	None detected; <2170ppm

Completed By *Carson J. Excell*

Reviewed By *Phillip Kurian*

4/17/23

4/17/23



Microconsult Inc.

A Certified Group Company

3218 Commander Dr, Carrollton, TX 75006

Phone: 972.250.2902

www.microconsultinc.com

Certificate of Analysis

Customer Name: Glymed Plus
Product Name: 50 mL CBD-B3 Age Delay Facial Dew
Lot Number: 227 2H/(GM404)
Lab Number: CB094223
Analysis Date: April 17, 2023
Analyst Name: Phillip Kurian
Methods: MON 4021 (MOD)
Equipment Type: GC-FID
Sample Types: Finished Product

Sample Identification and Results

Active	Test Results
2-Butanone	None detected; <5000ppm
2-methylbutane	None detected; <5000ppm
Butane	None detected; <5000ppm
Dichloromethane	None detected; <600ppm
2,2-dimethylbutane	None detected; <290ppm
2,3-dimethylbutane	None detected; <290ppm
Ethylene Oxide	None detected; <50ppm
Methylpropane	None detected; <5000ppm
2-Methylpentane	None detected; <290ppm
3-Methylpentane	None detected; <290ppm
Propane	None detected; <5000ppm

Completed By

Reviewed By

Date

Date



MICROCONSULT, INC.

MICROBIOLOGICAL & ANALYTICAL TESTING LABORATORY

3218 Commander Dr., Suite 100, Carrollton, TX 75006 ~ Phone: 972.250.2902 ~ Toll Free: 888.231.7002 ~ Fax: 972.250.2903 ~ www.microconsultinc.com

Certificate of Analysis

Lead	<0.3ppm
THCVA (Tetrahydrocannabivarinic Acid)	<60ppm
Benzene	<2ppm
CBNA (Cannabigerolic Acid)	None detected; <60ppm
Exo-THC (Tetrahydrocannabinol)	None detected; <61ppm
Delta 9 THC (Tetrahydrocannabinol)	<62ppm
Delta 8 THC (Tetrahydrocannabinol)	None detected; <61ppm
CBL (Cannabicycol)	None detected; <60ppm
THCA-A (Tetrahydrocannabinolic Acid)	None detected; <61ppm
CBC (Cannabichromene)	<61ppm
CBCA (Cannabichromenic Acid)	None detected; <60ppm
CBLA (Cinnabicycloic Acid)	None detected; <30ppm
Dimethyl Sulfoxide (DMSO)	None detected; <5000ppm
Dimethylformamide (DMF)	None detected; <880ppm
THCV (Tetrahydrocannabivarin)	None detected; <61ppm

Completed By

Carson Zencell

Date

4/17/23

Reviewed By

B. Smith

Date

4/17/23

The results stated above are provided with the most accurate method available. However, the test method has not been validated as stability-indicating to current USP and ICH guidelines for this product. Method validations are the responsibility of the manufacturer for each product.

Form Q013B



MICROCONSULT, INC.

MICROBIOLOGICAL & ANALYTICAL TESTING LABORATORY

3218 Commander Dr., Suite 100, Carrollton, TX 75006 ~ Phone: 972.250.2902 ~ Toll Free: 888.231.7002 ~ Fax: 972.250.2903 ~ www.microconsultinc.com

Certificate of Analysis

Customer Name: GlyMed Plus
Product Name: 50ml CBD-B3 Age Delay Facial Dew
Lot Number: 227 2H / (GM404)
Lab Number: CB094223
Analysis Date: April 17, 2023
Analyst Name: Andrea Adaway, Kimberly Carbajal, Philip Kurian, Lucy Z
Methods: CAM 1020, CAM 529, CAM 547, CAM 886, MON 4021
Equipment Type: Aflatoxins - Kit, GC, GC-FID, HPLC, ICP-MS
Sample Types: Finished Product, Filled Unit

Sample Identification and Results

Active	Test Results
CBN (Cannabinol)	None detected; <61ppm
Cadmium	<0.3ppm
Arsenic	<0.3ppm
Mercury	<0.03ppm
Aflatoxins	Invalid (Unable to test)
CBDVA (Cannabidivarinic Acid)	None detected; <61ppm
CBDV (Cannabidivarin)	<61ppm
CBDA (Cannabidiolic Acid)	<61ppm
CBGA (Cannabigerolic Acid)	None detected; <61ppm
CBG (Cannabigerol)	None detected; <62ppm
CBD (Cannabidiol)	2938ppm

Completed By

Carson Vencell

Date

4/17/23

Reviewed By

Benjamin

Date

4/17/23

The results stated above are provided with the most accurate method available. However, the test method has not been validated as stability-indicating to current USP and ICH guidelines for this product. Method validations are the responsibility of the manufacturer for each product.

Form Q013B